

Cytochrome P450 3A4/5 Blocking Peptide

Catalog #	Source	Reactivity	Applications
CBP1322	Synthetic	H	BL
Description	The peptide is used to block Anti-Cytochrome P450 3A4/5 Antibody (#CPA1322) reactivity.		
Form	Lyophilized powder		
Gene Symbol	CYP3A4; CYP3A5		
Alternative Names	CYP3A4; CYP3A3; Cytochrome P450 3A4; 1,8-cineole 2-exo-monooxygenase; Albendazole monooxygenase; Albendazole sulfoxidase; CYP3A3; CYP3A4; Cytochrome P450 3A3; Cytochrome P450 HLp; Cytochrome P450 NF-25; Cytochrome P450-PCN1; Nifedipine oxidase; Quinine 3-monooxygenase; Taurochenodeoxycholate 6-alpha-hydroxylase; CYP3A5; Cytochrome P450 3A5; CYP3A5; Cytochrome P450 3A5; CYP3A5; Cytochrome P450 HLp2; Cytochrome P450-PCN3		
Entrez Gene	1576, 1577 (Human)		
SwissProt	P08069, P06213 (Human)		
Purity	>85%		
Quality Control	The quality of the peptide was evaluated by reversed-phase HPLC and by mass spectrometry.		
Directions for Use	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to antibody) and incubate the mixture at 4°C for overnight or at room temperature for 2 hours.		
Storage/Stability	Shipped at 4°C. Store at -20°C for one year.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb- Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB
www.cohesionbio.com

ORDER
order@cohesionbio.com

SUPPORT
techsupport@cohesionbio.com

CUSTOM
custom@cohesionbio.com