

Product Data Sheet

Tenascin C Blocking Peptide

Catalog # Source Reactivity Applications

CBP1567 Synthetic H, M, R, P BL

Description The peptide is used to block Anti-Tenascin C Antibody (#CPA1567) reactivity.

Form Lyophilized powder

Gene Symbol TNC

Alternative Names HXB; Tenascin; TN; Cytotactin; GMEM; GP 150-225; Glioma-associated-extracellular

matrix antigen; Hexabrachion; JI; Myotendinous antigen; Neuronectin; Tenascin-C;

TN-C

Entrez Gene 3371 (Human); 21923 (Mouse)

SwissProt P24821 (Human); Q80YX1 (Mouse)

Purity >85%

Quality Control The quality of the peptide was evaluated by reversed-phase HPLC and by mass

spectrometry.

Directions for Use Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to

antibody) and incubate the mixture at 4°C for overnight or at room temperature for

2 hours.

Storage/Stability Shipped at 4°C. Store at -20°C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED