

Product Data Sheet

Contactin 3 Blocking Peptide

| Catalog # | Source | Reactivity | Applications | | | |
|----------------|--------------------|---|---|--|--|--|
| CBP1851 | Synthetic | H, M, R | BL | | | |
| Description | The p | The peptide is used to block Anti-Contactin 3 Antibody (#CPA1851) reactivity. | | | | |
| Form | Lyoph | ilized powder | | | | |
| Gene Symbol | CNTN | CNTN3 | | | | |
| Alternative N | ames KIAA1 | KIAA1496; PANG; Contactin-3; Brain-derived immunoglobulin superfamily protein 1; | | | | |
| | BIG-1 | ; Plasmacytoma-asso | ciated neuronal glycoprotein | | | |
| Entrez Gene | 5067 | 5067 (Human); 18488 (Mouse); 54279 (Rat) | | | | |
| SwissProt | Q9P2 | 32 (Human); Q07409 | (Mouse); Q62682 (Rat) | | | |
| Purity | >85% | | | | | |
| Quality Contr | ol The q | The quality of the peptide was evaluated by reversed-phase HPLC and by mass | | | | |
| | spect | rometry. | | | | |
| Directions for | Use Block | Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to | | | | |
| | antib | ody) and incubate the | e mixture at 4°C for overnight or at room temperature for | | | |
| | 2 hou | rs. | | | | |
| Storage/Stab | ility Shipp | ed at 4°C. Store at -2 | 0°C for one year. | | | |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

| WEB | ORDER | SUPPORT | CUSTOM |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |