

Product Data Sheet

c-Met Blocking Peptide

Catalog #	Source	Reactivity	Applications			
CBP4735	Synthetic	H, M, R, Rb, S	BL			
Description	The p	The peptide is used to block Anti-c-Met Antibody (#CPA4735) reactivity.				
Form	Lyoph	Lyophilized powder				
Gene Symbol	MET	MET				
Alternative N	ames Hepa	Hepatocyte growth factor receptor; HGF receptor; HGF/SF receptor; Proto-oncogene				
	c-Me	; Scatter factor recepto	or; SF receptor; Tyrosine-protein kinase Met			
Entrez Gene	4233	4233 (Human); 24553 (Rat)				
SwissProt	P0858	P08581 (Human); P16056 (Mouse); P97523 (Rat)				
Purity	>85%	>85%				
Quality Contr	ol The q	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spect	rometry.				
Directions for	Use Block	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antib	ody) and incubate the r	nixture at 4°C for overnight or at room temperature for			
	2 hou	rs.				
Storage/Stab	i lity Shipp	ed at 4°C. Store at -20°	C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com