

## **Product Data Sheet**

# Anti-CD24 Antibody-APC labled

Catalog #	Course	Depativity	Applications		
Catalog #	Source	Reactivity	Applications		
CFB8579	Mouse	Н	IF, FC		
Description	ſ	Mouse monoclonal antibod	y APC labled to CD24		
Immunogen					
Purification	٦	The antibody was purified b	y affinity chromatography.		
Specificity	F	Recognizes human CD24			
Clonality	ſ	Monoclonal (clone: ML5)			
Conjugation	ļ	APC			
Form		Mouse IgG2a kappa. Liquid in PBS, pH 7.3, 0.2% BSA, and 0.02% sodium azide.			
Dilution	1	10 μl / assay			
Gene Symbol	(	CD24			
Alternative Names		CD24A; Signal transducer CD24; Small cell lung carcinoma cluster 4 antigen; CD24			
Entrez Gene		100133941 (Human)			
SwissProt	F	P25063 (Human)			
<b>Directions for Use</b>		1. Take 100 $\mu l$ peripheral blood anticoagulated by EDTA and add to the bottom of 5			
	r	ml tube.			
	2	2. Add 10 μl labeled antiboo	ly to the bottom of flow tube mixing with the whole		
	k	plood, incubate for 20 minu	tes at room temperature away from light.		
	3	3. Add 2 ml RBC lysis buffer,	incubate for 10 minutes away from light after mixing,		
	C	dissolve red blood cells.			
	Z	4. Sample tube is set to 100	0 rpm centrifugation for 5 minutes, discard the		
		supernatant.			
			r to resuspend the cells, then 1000 rpm centrifugation		
Application key			histochemistry IE- Immunofluorescence, EC- Elow cytometry IC-		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



### **Product Data Sheet**

for 5 minutes, discard the supernatant.

6. Add 0.5 ml PBS wash buffer to resuspend the cells and detect by flow cytometry (sample should be determined on the day on the machine and can also be added fixation overnight at 4 °C then measured).

**Storage/Stability** Shipped and store at 4°C for one year. Do not freeze.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com