

Product Data Sheet

Anti-CD24 Antibody-PE/Cy5 labled

Catalog #	Source	Reactivity	Applications			
CFG8783	Rat	Μ	IF, FC			
Description	tion Rat monoclonal antibody PE/Cy5 labled to CD24					
Immunogen	C57	C57BL/10 mouse splenic T cells and concanavalin A-activated splenocytes				
Purification	The	The antibody was purified by affinity chromatography.				
Specificity	Rec	Recognizes mouse CD24				
Clonality		Monoclonal (clone: 91)				
Conjugation	PE/	PE/Cy5				
Form		Rat IgG2a kappa. Liquid in PBS, pH 7.3, 0.2% BSA, and 0.02% sodium azide.				
Dilution	10	µl / assay				
Gene Symbol	CD2	24				
Alternative Nan	nes CD2	CD24A; Signal transducer CD24; Small cell lung carcinoma cluster 4 antigen; CD24				
Entrez Gene	124	12484 (Mouse)				
SwissProt	P24	P24807 (Mouse)				
Directions for U	se 1. T	1. Take 100 μl peripheral blood anticoagulated by EDTA and add to the bottom of 5				
	ml	tube.				
	2. <i>F</i>	\dd 10 μl labeled antib	ody to the bottom of flow tube mixing with the whole			
	blo	od, incubate for 20 mir	nutes at room temperature away from light.			
	3. A	Add 2 ml RBC lysis buffe	er, incubate for 10 minutes away from light after mixing,			
	diss	solve red blood cells.				
	4. 5	Sample tube is set to 10	000 rpm centrifugation for 5 minutes, discard the			
	sup	pernatant.				
	5. <i>A</i>	Add 2 ml PBS wash buff	fer to resuspend the cells, then 1000 rpm centrifugation			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

for 5 minutes, discard the supernatant.

6. Add 0.5 ml PBS wash buffer to resuspend the cells and detect by flow cytometry (sample should be determined on the day on the machine and can also be added fixation overnight at 4 °C then measured).

Storage/Stability Shipped and store at 4°C for one year. Do not freeze.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com