

# **Product Data Sheet**

## hsa-miR-10b-5p miRNA Agomir

| Catalog #        | Source     | Reactivity              | Applications  |
|------------------|------------|-------------------------|---|
| CMJ0059          | Synthetic  | Н                       |   |
| Description      | Synth      | netic miRNA Agomir is   | used to regulate the expression of target hsa-miR-10b-5p      |
|                  | mRN        | Α.                      |   |
| Specificity      | Agon       | nir is chemically-modi  | fied double-strand miRNA mimics which can mimic               |
|                  | matu       | re endogenous miRN      | As after transfection into cells. They can up-regulate the    |
|                  | endo       | genous miRNA activit    | y by utilizing the natural miRNA machinery. Our miRNA         |
|                  | agom       | nir is designed to mim  | ic mature miRNAs, and chemically modified to increase         |
|                  | their      | stability and activity. |   |
| Form             | Lyoph      | nilized powder          |   |
| Gene Symbol      | hsa-n      | niR-10b-5p              |   |
| Accession No.    | MIM        | AT0000254               |   |
| Components       | This s     | synthetic miRNA is ba   | sed on the mature miRNA sequence. The antisense strand        |
|                  | of the     | e agomir has 2 phospl   | norothioates at the 5' end, 4 phosphorothioates, 1            |
|                  | chole      | sterol group at the 3'  | end, and full-length nucleotide 2'-methoxy modification.      |
|                  | lt exh     | nibits enhanced cellula | ar uptake, stability and regulatory activity in vivo.         |
| Directions for I | Use Briefl | y centrifuge tubes co   | ntaining miRNA agomir to ensure that the miRNA pellet is      |
|                  | locate     | ed at the bottom of th  | ne tube. Dissolve miRNA agomir to a convenient stock          |
|                  | conce      | entration using the re  | commended volume of DEPC H2O (or RNase-free water).           |
|                  | For e      | xample: dissolve 5 nm   | nol miRNA agomir to 20 $\mu$ M using 250 $\mu$ l DEPC H2O (or |
|                  | RNas       | e-free water). Pipette  | the solution up and down 3-5 times (or vortex briefly).       |
|                  | Briefl     | y centrifuge tubes co   | ntaining miRNA agomir to ensure that the solution is          |
|                  | collec     | cted at the bottom of   | the tube. Aliquot the miRNA agomir into small volumes         |
| Application key: |            | Vestern blot IH- Immund | histochemistry IE- Immunofluorescence EC- Elow cytometry IC-  |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

| WEB                 | ORDER                 | SUPPORT                     | CUSTOM                 |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |



### **Product Data Sheet**

and store at  $\leq$  -20°C. miRNA agomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

**Storage/Stability** Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com