

# **Product Data Sheet**

## FAM105B siRNA (Human)

Catalog #	Source	Reactivity	Applications		
CRJ3920	Synthetic	н	RNAi		
Description	siRNA	to inhibit FAM105B (	expression using RNA interference		
Specificity	FAM10	FAM105B siRNA (Human) is a target-specific 19-23 nt siRNA oligo duplexes designed			
	to kno	ck down gene expres	ssion.		
Form	Lyophi	lized powder			
Gene Symbol	FAM10	FAM105B			
Alternative Na	<mark>mes</mark> Ubiqui	Ubiquitin thioesterase otulin; Deubiquitinating enzyme otulin; OTU			
	domai	domain-containing deubiquitinase with linear linkage specificity; Ubiquitin			
	thioes	terase Gumby			
Entrez Gene	90268	90268 (Human)			
SwissProt	Q96BN	Q96BN8 (Human)			
Purity	> 97%	> 97%			
Quality Control	l Oligon	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure			
	approp	priate coupling efficie	ency. The oligo is subsequently pur	ified by affinity-solid	
	phase	extraction. The anne	aled RNA duplex is further analyze	d by mass	
	spectre	ometry to verify the	exact composition of the duplex. E	ach lot is compared to	
	the pro	evious lot by mass sp	ectrometry to ensure maximum lo	t-to-lot consistency.	
Components	We off	We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of			
	humar	n FAM105B gene. Ead	ch vial contains 5 nmol of lyophilize	d siRNA. The duplexes	
	can be	transfected individu	ally or pooled together to achieve	knockdown of the	
	target	target gene, which is most commonly assessed by qPCR or western blot.			
	Comp	ponent	15 nmol	30 nmol	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



# **Product Data Sheet**

FAM105B siRNA (Human) - A	5 nmol x 1	5 nmol x 2
FAM105B siRNA (Human) - B	5 nmol x 1	5 nmol x 2
FAM105B siRNA (Human) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

#### **Directions for Use**

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μΙ
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 µl
		100 nM	5 µl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
		100 nM	10 µl	5 µl
6-well	2 ml	50 nM	5 μl	5 μl
		10 nM	1 μΙ	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



For research purposes only, not for human use

## **Product Data Sheet**

**Storage/Stability** Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com