

# **Product Data Sheet**

## FGD1 siRNA (Mouse)

Catalog #	Source	Reactivity	Applications		
CRM1338	Synthetic	Μ	RNAi		
Description	siRN	A to inhibit FGD1 expr	ession using RNA interference		
Specificity	FGD1	L siRNA (Mouse) is a t	arget-specific 19-23 nt siRNA oligo duplexes designed to		
	knoc	k down gene expressi	on.		
Form	Lyop	hilized powder			
Gene Symbol	FGD1	FGD1			
Alternative N	ames FYVE	FYVE. RhoGEF and PH domain-containing protein 1; Faciogenital dysplasia 1 protein			
	home	olog; Rho/Rac guanin	e nucleotide exchange factor FGD1; Rho/Rac GEF; Zinc		
	finge	r FYVE domain-contai	ning protein 3		
Entrez Gene	1416	3 (Mouse)			
SwissProt	P527	P52734 (Mouse)			
Purity	> 97%	%			
Quality Control Oligonucleotide synthesis is monitored base by base through trityl analys			is monitored base by base through trityl analysis to ensure		
	appro	opriate coupling effici	ency. The oligo is subsequently purified by affinity-solid		
	phas	e extraction. The ann	ealed RNA duplex is further analyzed by mass		
	spect	trometry to verify the	exact composition of the duplex. Each lot is compared to		
	the p	previous lot by mass s	pectrometry to ensure maximum lot-to-lot consistency.		
Components	We o	We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of			
	mous	se FGD1 gene. Each vi	al contains 5 nmol of lyophilized siRNA. The duplexes can		
	be tr	be transfected individually or pooled together to achieve knockdown of the target			
	gene	gene, which is most commonly assessed by qPCR or western blot.			
	Con	nponent	15 nmol 30 nmol		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



# **Product Data Sheet**

FGD1 siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
FGD1 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
FGD1 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

#### **Directions for Use**

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μΙ
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 μΙ
		100 nM	5 μl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
		100 nM	10 µl	5 μΙ
6-well	2 ml	50 nM	5 μl	5 μΙ
		10 nM	1 μΙ	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



For research purposes only, not for human use

## **Product Data Sheet**

**Storage/Stability** Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com