## Coherion

## **Product Data Sheet**

## **Goat IgG**

Catalog #	Source	Reactivity	Applications		
CRP9006	Goat		WB, IH, IP		
Description		The purified total Goat IgG	can be used as a negative control for antibodies in		
		Western blot, immunopreci	pitation, and immunohistochemistry, etc.		
Form		Purified Goat IgG in PBS, pH	I 7.3, 0.01% sodium azide.		
Gene Symbol					
Alternative Names					
Entrez Gene					
SwissProt					
Purity		Greater than 95% as determ	nined by reducing SDS-PAGE.		
Chemical Stru	icture				
Quality Contro	ol				
<b>Directions for</b>	Use	Please minimize freeze-thav	w cycles.		
Storage/Stabi	lity	Store it at -20°C to -80°C for	one year. It is recommended that the protein be		
		aliquoted for optimal storage	ge. Avoid repeated freeze-thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com