

Product Data Sheet

Rabbit Anti-Cat IgG (H&L) - FITC

Catalog # Source Reactivity Applications

CSA2318 Rabbit Ct E, IH, IF, FC

Description Rabbit Polyclonal Secondary Antibody to Cat IgG (H&L) FITC

Immunogen Cat IgG

Purification The antibody was isolated from antisera by immunoaffinity chromatography using

antigens coupled to agarose beads.

Specificity By immunoelectrophoresis and ELISA this antibody reacts specifically with Cat IgG.

No antibody was detected against non immunoglobulin serum proteins.

Clonality Polyclonal

Conjugation FITC

Form 1 mg/ml. Liquid in 0.01M Phosphate Buffered Saline, pH 7.2, containing 1% BSA,

50% glycerol, 0.05% Sodium Azide

Dilution IH (1/100 - 1/1000), IF (1/100 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay

dependent concentration)

Fluorophore Ex/Em = 493/528 nm

Storage/Stability Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid

freeze/thaw cycles.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED