

Product Data Sheet

Rabbit Anti-Dog IgG (H&L) - AMCA

Catalog #	Source	Reactivity	Applications
CSA2515	Rabbit	D	E, IH, IF, FC
Description	R	Rabbit Polyclonal Seconda	ry Antibody to Dog IgG (H&L) AMCA labeled
Immunogen	D	Oog IgG	
Purification	Т	he antibody was isolated	from antisera by immunoaffinity chromatography using
	a	antigens coupled to agaros	e beads.
Specificity	В	By immunoelectrophoresis	and ELISA this antibody reacts specifically with Dog IgG.
	N	No antibody was detected	against non immunoglobulin serum proteins.
Clonality	Р	Polyclonal	
Conjugation	А	AMCA	
Form	1	mg/ml. Liquid in 0.01M F	Phosphate Buffered Saline, pH 7.2, containing 1% BSA,
	5	50% glycerol, 0.02% Sodiur	n Azide
Dilution	II	H (1/100 - 1/1000), IF (1/10	0 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay
	d	dependent concentration)	
Fluorophore	Е	Ex/Em = 350/450 nm	
Storage/Stabi	lity S	hipped at 4°C. Upon deliv	ery aliquot and store at -20°C for one year. Avoid
	fr	reeze/thaw cycles.	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com