

Product Data Sheet

Goat Anti-Chicken IgY (H&L) - TRITC

Catalog #	Source	e Reactivity	Applications
CSA2601	Goat	С	E, IH, IF, FC
Description		Goat Polyclonal Secondary Antibody to Chicken IgY (H&L) TRITC labeled	
Immunogen		Chicken IgY	
Purification		The antibody was isolated from antisera by immunoaffinity chromatography using	
		antigens coupled to agar	ose beads.
Specificity		By immunoelectrophores	is and ELISA this antibody reacts specifically with Chicken
		IgY. No antibody was dete	ected against non immunoglobulin serum proteins.
Clonality		Polyclonal	
Conjugation		TRITC	
Form		1 mg/ml. Liquid in 0.01M	Phosphate Buffered Saline, pH 7.2, containing 1% BSA,
		50% glycerol, 0.02% Sodi	um Azide
Dilution		IH (1/100 - 1/1000), IF (1/1	00 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay
		dependent concentration)
Fluorophore		Ex/Em = 595/613 nm	
Storage/Stabi	lity	Shipped at 4°C. Upon del	very aliquot and store at -20°C for one year. Avoid
		freeze/thaw cycles.	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com