

Product Data Sheet

Rabbit Anti-Dog IgG (H&L) - AP

Catalog #	Source	Reactivity	Applications	
CSA2815	Rabbit	D	E, WB, IH, IC	
Description	Rabbit Polyclonal Secondary Antibody to Dog IgG (H&L) AP labeled			
Immunogen	Dog	IgG		
Purification	The	The antibody was isolated from antisera by immunoaffinity chromatography using		
	antigens coupled to agarose beads.			
Specificity	By i	By immunoelectrophoresis and ELISA this antibody reacts specifically with Dog IgG.		
	No a	antibody was detected	d against non immunoglobulin serum proteins.	
Clonality	Poly	Polyclonal		
Conjugation	АР	AP		
Form	Liqu	Liquid in 0.01M Phosphate Buffered Saline, pH 7.2, containing 1% BSA, 50% glycerol,		
	0.02	2% Sodium Azide		
Dilution	E (1,	E (1/10000 - 1/50000), WB (1/5000 - 1/20000), IH (1/500 - 1/1000), IC (1/500 -		
	1/10	000)		
Storage/Stabi	Storage/Stability Shipped at 4°C. Upon delivery aliquot and store at -20°C for		very aliquot and store at -20°C for one year. Avoid	
	free	ze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com